## EAST Search History

## EAST Search History (Prior Art)

Ref#	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	3	(wait\$4 or delay\$4) with (user interface) with (updat \$4) with content with display \$4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/07/15 09:14
L3	99	[US-20080282142-\$ or US- 20070266316-\$ or US- 20070266316-\$ or US- 20070266316-\$ or US- 20070268356-\$ or US- 2007020617-\$ or US- 2007020617-\$ or US- 2007020617-\$ or US- 20030236917-\$ or US- 20030236917-\$ or US- 20030013493-\$ or US- 20030013493-\$ or US- 20020196266-\$ or US- 20020196266-\$ or US- 2002019718-\$ or US- 2002019718-\$ or US- 2002019718-\$ or US- 2002019718-\$ or US- 2005027422-\$ or US- 2005027422-\$ or US- 2005027422-\$ or US- 20050276013-\$ or US- 200502766-\$ or US- 200502766-\$ or US- 200502766-\$ or US- 20040261301-\$ or US- 2004015893-\$ or US- 2003012667-\$ or US- 2003012667-\$ or US- 2003012667-\$ or US- 2003012667-\$ or US- 20050028471-\$ or US- 2005002877-\$ or US- 2005002875-\$ or US- 2005002753-\$ or US- 2004014853-\$ or US- 2005002753-\$ or US- 200401493-\$ or US- 20050021935-\$ or US- 20040193-\$ or US- 200401471-\$ or US- 20050021935-\$ or US- 200401471-\$ or US- 20050021935-\$ or US- 2004016771-\$ or US- 2004010677-\$ or US- 200401678-\$ or US- 2004004078-\$ or US- 200401040-\$ or US- 20040040-\$ or US- 200400400-\$ or US- 200400400-\$ or US- 200400400-\$ or US-	US-PAT; EPO; USPAT; EPO; DEFWENT	NEAR	ON	2011/07/15 09:16

L9

L13

	3705	7441047-\$ or US-6470381-\$ or US-7496645-\$ or US-749666-\$ or US-7113981-\$ or US-740660-\$ or US-7113981-\$ or US-7010758-\$ or US-693362-\$ or US-693457-\$ or US-6934652-\$ or US-693625-\$ or US-693625-\$ or US-6392640-\$ or US-6392640-\$ or US-6392640-\$ or US-72728130-\$ or US-7272130-\$ or US-727	US-PGPUB; USPAT; FPFS; EPC; JPC; DEFM/ENT; IEM_TDB	NEAR NEAR	ON ON	2011/07/15 09:22
	3705	(3-Tier web application) or MVC or (model view controller) or (model-view-controller)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/07/15 09:24
***	62	(wait\$4 or delay\$4 or postpon \$4) with (user interface) with (updat\$4) with (display\$4 or view\$4)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/07/15 09:28

L14	27	13 and (@pd<"20040219" or @ad<"20040219" or @prad<"20040219" or @rlad<"20040219")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/07/15 09:28
L15	25	(delay\$4 or postpon\$4) with (user interface) with (updat \$4) with (display\$4 or view \$4)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/07/15 09:29
L18	116	(delay\$4 or postpon\$4 or wait \$4) with ((user interface) or GUI) with (updat\$4 or refresh \$4) with (display\$4 or view \$4)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/07/15 09:48
L20	283	(wait\$4 or delay\$4 or postpon \$4) with ((user interface) or GUI) with (updat\$4 or refresh \$4)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/07/15 09:49
L21	1	20 and 9	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/07/15 09:49
L22	2	20 and 3	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/07/15 09:50
L23	3	("2002/0188619").URPN.	USPAT	NEAR	ON	2011/07/15 10:26
L24	38	((3-Tier web application) or MVC or (model view controller) or (model-view-controller) with (cell\$5phone or cell\$4phone or (moble or cell\$4phone or the vireless) (phone or telephone or device or terminal or network or brows\$4)) or pda or (personal digita assistant) or smart\$1phone)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/07/15
L25	0	24 and 18	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/07/15 10:44
L26	19	24 and (@pd<"20040219" or @ad<"20040219" or @prad<"20040219" or @rlad<"20040219")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/07/15 10:44

L27	11	"10007037"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/07/15 10:50
L28	0	java near3 micro near3 edition same mvc	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/07/15 10:57
L29	24	java near3 micro near3 edition and ((3-Tier web application) or MVC or (model view controller) or (model-view-controller))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/07/15 10:57
L30	15	29 and (@pd<"20040219" or @ad<"20040219" or @prad<"20040219" or @prad<"20040219")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/07/15 10:58
L31	14	java near3 micro near3 edition and ((3-Tier web application) or MVC or (model view controller) or (model-view-controller)) and updat84 with (gui or interface)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	O <b>O</b>	2011/07/15 10:59
L32	10	31 and (@pd<"20040219" or @ad<"20040219" or @prad<"20040219" or @prad<"20040219" or @rlad<"20040219")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/07/15 10:59
L33	230	(BREW UI Toolkit) or (BUIT)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/07/15 11:04
L34	209	33 and (@pd<"20040219" or @ad<"20040219" or @prad<"20040219" or @prad<"20040219" or @rlad<"20040219")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/07/15 11:04
L35	2	((BREW UI Toolkit) or (BUIT)) and actor	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/07/15 11:09
L36	7	31 and (@pd< "20040219" or @ad< "20040219" or @prad< "20040219" or @rlad< "20040219") and event	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/07/15 11:52

L37	4	"10754782"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/07/15 11:53
L38	107	(US-20080282142-\$ or US-20070266316-\$ or US-20080037452-\$ or US-20080037452-\$ or US-2007028856-\$ or US-2007028856-\$ or US-20070300217-\$ or US-20070300217-\$ or US-20030236917-\$ or US-20030236917-\$ or US-200300236917-\$ or US-200300236917-\$ or US-200300236917-\$ or US-20020196266-\$ or US-20020196266-\$ or US-2002019718-\$ or US-2005027492-\$ or US-2005027492-\$ or US-2005027492-\$ or US-20050274980-\$ or US-20050274980-\$ or US-20050274980-\$ or US-20050274989-\$ or US-20040246131-\$ or US-2003015898-\$ or US-20040246131-\$ or US-2003015898-\$ or US-2004024653-\$ or US-2003015898-\$ or US-2003015998-\$ or US-2003015993-\$ or US-2003015993-\$ or US-2003015935-\$ or US-2004004717-\$ or US-2003015935-\$ or US-2004004717-\$ or US-2003015935-\$ or US-2004004717-\$ or US-2003005935-\$ or US-2004004717-\$ or US-2004004717-\$ or US-200400477-\$ or US-200400477-\$ or US-200400477-\$ or US-2004004777-\$ or US-20040046779-\$ or US-20040046779-\$ or US-20040046779-\$ or US-200400499430-\$ or US-20040199430-\$ or US-20040199430-\$ or US-2004199430-\$ or US-20	US-PGPUB; USPAT; EPO; DEFIMENT	NEAR	ON	2011/07/15 12:23

		or US-7010758-\$ or US-693302-\$ or US-693302-\$ or US-6934652-\$ or US-6954652-\$ or US-6850255-\$ or US-6763382-\$ or US-6954652-\$ or US-6300947-\$ or US-7275243-\$ or US-727137-0-\$ or US-7275243-\$ or US-73717-0-\$ or US-7278130-\$ or US-73717-0-\$ or US-73717-0-\$ or US-73717-0-\$ or US-73717-0-\$ or US-73717-0-\$ or US-691393-\$ or US-691411-\$ or US-691441-\$ or US-691441-\$ or US-691441-\$ or US-691441-\$ or US-691441-\$ or US-691459-\$ or US-691441-\$ or US-69159-\$ or US-69159-\$ or US-69159-\$ or US-69159-\$ or US-69159-\$ or US-69159-\$ or US-7301365-\$ or US-69159-\$ or US-7301365-\$ or US-69159-\$ or US-7301365-\$ or US-69159-\$ or US-7301310-\$ or US-699600-\$ or US-7301311-\$ or US-699600-\$ or US-7301311-\$ or US-699600-\$ or US-7301311-\$ or US-699600-\$ or US-7301311-\$ or US-699600-\$ or US-293989-\$ or WO-03067425-\$ or US-03067425-\$ or US-03067425-\$ or US-03067425-\$ or US-03067425-\$ or US-015589-\$ or US-0161508-\$ or US-03067425-\$ or US-030674275-\$ or US-03067				
L41	6	(user interface) with (mobile device) same (file) with (extend or alter)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/07/15 13:32
L42	23	updat\$4 with (interface) with (cell\$5phone or cell\$4phone or cell\$4phone or cell\$4phone or tell\$4phone or device or telephone or device or terminal or network or brows \$4 )) or pda or (personal digita assistant) or smart \$1phone or (smart phone)) same (extend or alter)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/07/15 13:36

L43	96	(updat54 with (interface) with (cell\$5phone or cell \$4phone or ((mobile or cell\$4 or portable or wireless) ((phone or telephone or device or terminal or network or brows\$4) or pda or (personal digita assistant) or smart\$phone or (smart phone)).11	US-PGPUB; USPAT; FPRS; EPO; JPO; DEFWENT; IBM_TDB	NEAR	O.	2011/07/15 13:37
L44	237	[updats4 with (interface) with (cell\$5phone or cell \$4phone or ((mobile or cell\$4 or portable or wireless) ((phone or telephone or device or terminal or network or brows\$4 )) or pda or (personal digita assistant) or smart\$phone) at.	US-PGPUB; USPAT; FPRS; EPO; JPO; DEFWENT; IBM_TDB	NEAR	ON	2011/07/15 13:37
L45	0	updatS4 with (user interface) with (cellSphone or cell S4phone or (imobile or cellS4 or portable or wireless) (phone or telephone or device or terminal or network or browsS4)) or pda or (personal digit assistant) or smartSphone or (smart phone)) with attribute with instruction	US-PGPUB; USPAT; FPRS; EFO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/07/15 15:38
L46	0	updat\$4 with (user interface) with (csll\$5phone or cell\$4 or portable or wireless) (phone or telephone or device or terminal or network or brows\$4)) or pda or (personal digit assistant) or smart\$1phone or (smart phone)) adn attribute with instruction	US-PGPUB; USPAT; FPRS; EFO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/07/15 15:38
L47	8	updat\$4 with (user interface) with (cell\$5phone or cell \$4phone or (imobile or cell\$4 or portable or wireless) ((phone or telephone or device or terminal or network or brows\$4)) or pda or (personal digita assistant) or smart\$1phone or (smart phone)) and attribute with instruction	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/07/15 15:38

L48	533	ipdats4 with (user interface) with (cells5phone or cell \$4phone or ((mobile or cell\$4 or portable or wireless) ((phone or tellephone or device or terminal or network or brows\$4) or pda or (personal digita assistant) or smart\$phone or (smart phone)	US-PGPUB; USPAT; FPPS; EPO; JPO; DERWENT; IBM_TDB	NEAR	, , , , ,	2011/07/15 15:41
L49	28	(updat\$4 with (user interface) with (cell\$5phone or cell\$5phone or ((mobile or cell\$4) or portable or wireless) (phone or telephone or device or terminal or network or brows\$4) or pda or (personal digita assistant) or smart\$phone or (smart phone)).it.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/07/15 15:41
L50	24	lupdat54 with (operating system) with (cell\$5phone or cell\$4phone or ((mobile or cell\$4 or portable or wireless) (phone or telephone or device or terminal or network or brows\$4 )) or pda or (personal digita assistant) or smart\$phone or (smart phone)).tt	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/07/15 15:48
L51	41	[updat54 with (operating system) with (cell\$5phone or cell\$4phone or ((mobile or cell\$4 or portable or wireless) (phone or telephone or device or terminal or network or brows\$4 ) or pda or (personal digita assistant) or smart\$1phone or (smart phone)) same interface	US-PGPUB; USPAT; FPRS; EPO; JPO; DEFWENT; IBM_TDB	NEAR		2011/07/15 15:48
L52	1	(updat\$4 with (operating system) with (cell\$5phone or cell\$4phone or ((mobile or cell\$4 or portable or wireless) (phone or telephone or device or terminal or network or brows\$4 )) or pda or (personal digita assistant) or smart\$1phone or (smart phone))) same interface and (widget or actor)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/07/15 15:48

L54	32	(delay\$4 or postpon\$4) near4 (user interface) near4 (updar interface) near4 (updar \$4\) and (cell\$5\)phone or cell \$4\)phone or ((mobile or cell\$4\) or portable or wireless) (phone or telephone or device or terminal or network or brows\$4\)) or pda or (personal digita assistant) or smart\$1\)phone))	US-PGPUB; USPAT; FPRS; EFO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/07/15 16:03
_56	22	54 and (@pd<"20040219" or @ad<"20040219" or @prad<"20040219" or @prad<"20040219")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/07/15 16:04
L59	107	((delay\$4 or postpon\$4) near3 ((user interface) or system) near3 (updat\$4) and (cell \$5phone or cell\$4phone or ((mobile or cell\$4 or portable or wireless) (phone or telephone or device or terminal or network or brows \$4 )) or pda or (personal digita assistant) or smart \$5 phone or (smart phone))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/07/15 16:06
L62	40	59 and (@pd<"20040219" or @ad<"20040219" or @prad<"20040219" or @prad<"20040219") not parry. in.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/07/15 16:11
L65	29	(delay\$4 or postpon\$4) near3 (interface) near3 (updat\$4) and (cell\$5phone or cell \$4phone or ((mobile or cell\$4) or portable or wireless) ((phone or telephone or device or terminal or network or brow\$4) or pda or (personal digita assistant) or smart\$1phone or (smart jphone)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/07/15 16:30
L66	5	65 and (@pd<"20040219" or @ad<"20040219" or @prad<"20040219" or @prad<"20040219" or @rlad<"20040219") not parry. in.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/07/15 16:30
L67	36	59 and (@pd<"20040219" or @ad<"20040219" or @prad<"20040219" or @prad<"20040219") not parry. in. not smirnov.in.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/07/15 16:31

L74	134	(interface or gui).ti. and (delay\$4 or postpon\$4) near3 (updat\$4)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/07/15 16:38
L75	42	(interface or gui).ti. and ((delay\$4 or postpons\$4) near3 ((updat\$4) and (cell\$5phone or cell\$4phone or ((mobile or cell\$4phone or telephone or device or terminal or network or brows\$4 )) or pda or (personal digita assistant) or smart\$1phone or (smart phone)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/07/15 16:38
L76	22	75 and (@pd<"20040219" or @ad<"20040219" or @prad<"20040219" or @prad<"20040219" or @riad<"20040219") not parry. in. not smirnov.in.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/07/15 16:39
L77	13	OnLostFocus	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/07/15 16:41
S1	1	"10598163"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/03/23 17:15
S2	1	"10/598163"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/03/23 17:15
83	1	PCT/ GB2005/000627	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/03/23 17:16
S4	6	"0403709.9"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/03/23 17:16
S5	4	"2005081131"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM TDB	NEAR	ON	2011/03/23 17:17

S7	1	"10598171"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/03/23 17:18
88	50	(US-20080282142-\$ or US-20030101085-\$ or US-20030101085-\$ or US-20030011578-\$ or US-20030011578-\$ or US-20040038616-\$ or US-20040038616-\$ or US-20040038650-\$ or US-20040038650-\$ or US-20070268697-\$ or US-20070268697-\$ or US-20070268697-\$ or US-20070268697-\$ or US-20080083735-\$ or US-2080082376-\$ or US-2080082376-\$ or US-2080082376-\$ or US-2080082376-\$ or US-2080082376-\$ or US-2090094529-\$ or US-2090094529-\$ or US-2090094529-\$ or US-2090094529-\$ or US-209009171714-\$ or US-2010015152-\$ or US-2010015152-\$ or US-2010015152-\$ or US-2010015152-\$ or US-2010015152-\$ or US-2010015152-\$ or US-2010015103-\$ or US-778006-\$ or US-7780369-\$ or US-7788315-\$ or US-5832532-\$ or US-5878986-\$ or US-7844589-\$ or US-7865927-\$ or US-67878936-\$ or US-787193-\$ or US-6781587-\$ or US-6781587-\$ or US-6781587-\$ or US-6791587-\$ or US-6791587-\$ or US-78005-\$ or US-773919-\$ or US-773919-\$ or US-773915-\$ or US-739115-\$ or US-73939361-\$ or US-73939361-\$ or US-73939361-\$ or US-73939361-\$ or US-7409710-\$).did.	US-PGPUB; USPAT	NEAR	ON	2011/03/23
S14	3	"20030236917"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/03/23 17:38
S16	4	"03067427"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/03/23 17:39

S17	3	"02093877"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/03/23 17:39
S18	2	"20020078143"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/03/23 17:43
<b>S</b> 20	30	US-20030094121-8 DID. OR US-2003012667-8. DID. OR US-20030158969-8. DID. OR US-20030158969-8. DID. OR US-2004075693-8. DID. OR US-2004077683-8. DID. OR US-20040177683-8. DID. OR US-20040177683-8. DID. OR US-20050176685-8. DID. OR US-20050168657-8. DID. OR US-20050168657-8. DID. OR US-20050168657-8. DID. OR US-200502768871-8. DID. OR US-20050277432-8. DID. OR US-20050277432-8. DID. OR US-20050277432-8. DID. OR US-20050153468-8. DID. OR US-20050153468-8. DID. OR US-20050153468-8. DID. OR	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/03/24 08:54
S21	36	US-6300947-\$.DID. OR US-6392640-\$.DID. OR US-6763382-\$.DID. OR US-6850255-\$.DID. OR US-6850255-\$.DID. OR US-6973457-\$.DID. OR US-6993362-\$.DID. OR US-7113981-\$.DID. OR US-7113981-\$.DID. OR US-7496645-\$.DID. OR US-749665-\$.DID. OR US-749666-\$.DID. OR US-749666-\$.DID. OR US-749666-\$.DID. OR US-749666-\$.DID. OR US-749666-\$.DID. OR US-74966-\$.DID. OR US-7496-\$.DID. OR US-74966-\$.DID. OR US-7496-\$.DID. OR US-7496-\$.DID. OR US-74966-\$.DID. OR US-7496	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DEFWENT; IBM_TDB	NEAR	ON	2011/03/24
\$22		EP-1052599-\$.DID. OR EP- 1193590-\$.DID. OR EP- 1193590-\$.DID. OR GB- 2293951-\$.DID. OR WO- 01042909-\$.DID. OR WO- 0161598-\$.DID. OR WO- 0195041-\$.DID. OR WO- 03067427-\$.DID. OR WO- 03067427-\$.DID. OR WO- 03067427-\$.DID.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR		2011/03/24 09:00

S23	2	"6470381".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/03/24 09:04
S26	3	"03067527"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/03/24 09:05
S27	0	WO-01042909-\$.DID.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/03/24 09:09
\$37	8213	(XML or ((mark-up or mark \$1up or (mark up)) language)) with user near3 interface	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/03/25 14:55
S38	353	(XML or ((mark-up or mark Stup or (mark up)) language)) with user near3 interface with (cellsSphone or (lis4phone or ((mobile or cells4phone or (mobile or cells4phone) or (delphone or telephone or device)) or pda or (personal digita assistant) or smart Stphone or (smart phone))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/03/25 14:55
<b>S3</b> 9	106	xui	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/03/25 14:57
S42	383	xui or (xml ui) or (xml user interface)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/03/25 14:59
S44	4	(xui or (xml ui) or (xml user interface)) with (cell\$5phone or cell\$4phone or ((mobile or cell\$4 or portable or brows \$4) (phone or telephone or device)) or pda or (personal digita assistant) or smart \$1phone or (smart phone))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/03/25 15:00

S45	5	(xui or (xml ui) or (xml user interface) or (User Interface) Markup Language) UIML) with (cell\$5phone or cell \$4phone or (mobile or cell\$4 or portable or brows\$4) (phone or telephone or device)) or pda or (personal digita assistant) or smart \$1phone)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	Z 	2011/03/25 15:02
S46	23	(vui or (xml ui) or (xml user interface) or (User Interface) Markup Language) LIML) same (cell\$5phone or cell \$4phone or ((mobile or cell\$4 or portable or brows\$4) (phone or telephone or device)) or pda or (personal digita assistant) or smart \$1phone)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/03/25 15:03
S47	25	S42 and update\$4 with (interface or attribute) and format\$4 with (interface or attribute) and update\$4 with manag\$4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/03/25 15:04
S48	8	\$38 and update\$4 with (interface or attribute) and format\$4 with (interface or attribute) and update\$4 with manag\$4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/03/25 15:04
S49	0	S46 and update\$4 with (interface or attribute) and format\$4 with (interface or attribute) and update\$4 with manag\$4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/03/25 15:05
S50	14	((XML or ((mark-up or mark \$1up or (mark up)) language) with user near3 interface with (cell\$5phone or cell\$4phone or ((mobile or cell \$4 or portable or brows\$4) ((phone or telephone or device)) or pda or (personal digita assistant) or sart \$1phone or (smart phone))). ab.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/03/25 15:26
S51	2	"10787948"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM TDB	NEAR	ON	2011/03/25 15:37

S52	2	"20050193380"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/03/25 15:38
S53	2	"6850255".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/03/25 15:52
S55	2	"6300947".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/03/25 15:52
S56	2	"6973457".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/03/25 15:55
S57	2	"6763382".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/03/25 15:55
S59	0	(gui or (user interface)) with ((actor pattern) or (active object pattern))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/03/25 16:01
<b>S</b> 60	463	(gui or (user interface)) with actor	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/03/25 16:01
S61	202	xui or (xml ui) or (xml user interface) and actor	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/03/25 16:02
S62	0	(xui or (xml ui) or (xml user interface) or (User Interface) Markup Language) UML ) with (cell\$5phone or cell \$4phone or ((mobile or cell\$4 or portable or brows\$4) ((phone or telephone or device)) or pda or (personal digita assistant) or smart \$1 phone or (smart phone)) with actor	US-PGPUB; USPAT; FPRS; EFO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/03/25 16:02

<del>\$63</del>	0	(xui or (xml ui) or (xml user interface) or (User Interface) Markup Language) UIML) with (cell\$5phone or cell \$4phone or ((Inobile or cell\$4 or portable or brows\$4) ((phone or telephone or device)) or pda or (personal digita assistant) or smart \$1phone or (smart phone)) and actor	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/03/25 16:03
<b>S</b> 64	19	(xui or (xml ui) or (xml user interface) or (User Interface Markup Language) UIML) and (cell\$5phone or cell \$4phone or ((mobile or cell\$4 or portable or brows\$4) ((phone or telephone or device)) or pad or (personal digita assistant) or smart \$1phone or (smart phone)) and actor	US-PCPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/03/25 16:03
S66	3	(xui or (xml ui) or (xml user interface) or (User Interface) Markup Language) or UIML) and (cell\$5phone or cell \$4phone or ((mobile or cell\$4 or portable or brows\$4) ((phone or telephone or device)) or pad or (personal digita assistant) or smart \$1phone or (smart phone)) and actor with element	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/03/25 16:07
S67	250	((user interface) or xui or (xml ui) or (xml user interface) or (User Interface Markup Language) or UIML) and (cell\$5phone or cell\$4phone or ((mobile or cell\$4 or portable or brows\$4) (phone or telephone or device)) or pda or (personal digita assistant) or smart \$1phone or (smart phone)) and actor with element	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/03/25 16:13

\$68	13	[((user interface) or xui or (xml user interface) or (Xml user interface) or (User Interface Markup Language) or UIML) with actor with element and (cell\$5phone or cell\$4phone or ((mobile or cell\$4 or portable or brows\$4) (phone or telephone or device)) or pda or (personal digita assistant) or smart\$1phone or (smart phone))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/03/25 16:14
S70	1	((user interface) or GUI or xui or (xml ui) or (xml user interface) or (User Interface Markup Language) or UIML) with actor with element with attribute with render	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/03/25 16:25
S71	3	((user interface) or GUI or xui or (xml ui) or (xml user interface) or (User Interface Markup Language) or UIML) same actor same element same attribute same render	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/03/25 16:25
S72	28	((user interface) or GUI or xui or (xml ui) or (xml user interface) or (User Interface Markup Language) or UIML) same actor same element same attribute	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/03/25 16:28
\$73	69	(US-20080282142-\$ or US- 20070266316-\$ or US- 20070266316-\$ or US- 20070288856-\$ or US- 20070288856-\$ or US- 20070289217-\$ or US- 2007028927-\$ or US- 20020073143-\$ or US- 20020073143-\$ or US- 20020073143-\$ or US- 200200151327-\$ or US- 20020151327-\$ or US- 200201151327-\$ or US- 200201151327-\$ or US- 200201151327-\$ or US- 200201151327-\$ or US- 200201196266-\$ or US- 20020011292-\$ or US- 20020011292-\$ or US- 20020011292-\$ or US- 200500277432-\$ or US- 200500277432-\$ or US- 20050027560-\$ or US- 2005002610867-\$ or US- 200500381-\$ or US- 20040177083-\$ or US- 20040075693-\$ or US-	US-PGPUB; USPAT; EPO; DERWENT	NEAR	ON	2011/03/25 16:50

S77	4	\$73 and actor with element and update\$4 with (interface or attribute) and format\$4 with (interface or attribute)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM TDB	NEAR	ON	2011/03/25 16:52
S76	9	S73 and actor with element	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/03/25 16:52
S <b>7</b> 5	12	S73 and update\$4 with (interface or attribute) and format\$4 with (interface or attribute)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/03/25 16:52
S74	6	S73 and (QUALCOMM.as. or butlin.in.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	0 <b>0</b>	2011/03/25 16:51
		20030158989-\$ or US- 2003010867-\$ or US- 20030084121-\$ or US- 20030084121-\$ or US- 20030084121-\$ or US- 20030084121-\$ or US- 20050026776-\$ or US- 20050026376-\$ or US- 20040148586-\$, did. or (US- 7441047-\$ or US-6470381-\$ or US-7496645-\$ or US- 7480869-\$ or US- 7480869-\$ or US- 6933362-\$ or US-6673382-\$ or US-665455-\$ or US-673382-\$ or US-665455-\$ or US-6763882-\$ or US-6785885-\$ or US-7275242-\$ or US-6785895-\$ or US-7278130-\$ or US-7137100-\$ or US- 2039951-\$ or US-278130-\$ or US-7137100-\$ or US- 2681383-\$), did. or (CB- 241331-\$ or WO-03067427-\$ or WO-02093877-\$ or WO-0209389-\$ or US-0209389-\$ or US-0209				

S78	6	\$73 and update\$4 with (interface or attribute) and format\$4 with (interface or attribute) and update\$4 with manag\$4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/03/25 16:52
S79	0	S73 and S39	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/03/25 16:52
S80	10	S73 and S38	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/03/25 16:52
S81	3	S73 and S42	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/03/25 16:53
S82	14	S73 and actor	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/03/25 16:53
S83	3	S73 and (move or relocat\$4 or re-colcat\$4) with (actor or element)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/03/25 16:53
S84	3	S73 and (move or relocat\$4 or re-colcat\$4) with (actor or element or updat\$4)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/03/25 16:58
S85	13	S73 and (position or location) with (actor or element)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/03/25 17:00
S86	36	S73 and (position or location) with (actor or element or control or widget or icon or menu or container or box or window or button)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/03/25 17:07
S87	111	\$73 and (cell\$5phone or cell \$4phone or ((mobile or cell\$4 or portable or brows\$4) (phone or telephone or device)) or pda or (personal digita assistant) or smart \$1phone or (smart phone)) and actor	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/03/25 17:07

S88	94	actor with (element or control or widget or icon or menu or container or box or window or button) with ((user interface) or GUI or xui or (xml ui) or (xml user interface) or (User Interface Markup Language) or UIML)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	O	2011/03/25 17:14
S89	92	actor with (element or control or widget or icon or menu or container or box or window or button) and ((user interface) or GUI or xui or (xml ui) or (xml user interface) or (User Interface) Markup Language) or UIML). ti.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	O N	2011/03/25 17:15
S90	38	actor with (element or control or widget or icon or menu or container or box or window or button) with ((user interface) or GUI or xui or (xml uio) c(xml user interface) or (User Interface Marface) or (User Interface Marface) and or UIML) and render64	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR		2011/03/25 17:16
S91	2	actor with (element or control or widget or icon or menu or container or box or window or button) with attribute with ((user interface) or CUI or xui or (xml ui) or (xml user interface) or (User Interface Markup Language) or UIML) and render64	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	DON	2011/03/25 17:17
S92	63	actor with (element or control or widget or icon or menu or container or box or window or button) and ((user interface) or GUI or xui or (xml user interface) or (User Interface Marface) or (User Interface Marface) to UIML). ti. and render\$4	US-PGPUB; USPAT; FPPS; EPO; JPO; DERWENT; IBM_TDB	NEAR		2011/03/25 17:17
S93	3	actor with (element or control or widget or icon or menu or container or box or window or button) with attribute and (luser interface) or GUI or xui or (xml ui) or (xml user interface) to (User interface) or GUI or Xui or (xml ui) or (xml user interface) or (User interface) to (User in	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	O O	2011/03/25 17:17

S94	2	"11421382"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/03/25 17:28
S95	3	"20030110470"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/03/25 17:30
S97	6	(data near3 file) with (extend \$4 or alter\$4) with (user interface) with (mobile device)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/03/25 17:36
S98	7	(data near3 file) with (extend \$4 or alter\$4) same (user interface) with (cell\$5phone or cell\$4phone or ((mobile or cell\$4) dr portable or brows \$4) (phone or telephone or device)) or pda or (personal digita assistant) or smart \$1phone or (smart phone))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	OO O	2011/03/25 17:38
S100	50	(data or file) with (extend\$4 or alter\$4) with (user interface) with (bell\$5phone or cell\$4phone or (mobile or cell\$4 or portable or brows \$4) (phone or telephone or device)) or pda or (personal digita assistant) or smart \$1phone or (smart phone))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	O O	2011/03/25 17:39
S101	9	actor with render\$4 with (element or control or widget or icon or menu or container or box or window or button) and ((user interface) or GUI or xui or (xml ui) or (xml user interface) or (User Interface Markup Language) or UIML). ti.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	O C	2011/03/25 19:07
S102	0	actor with render\$4 with attribute (element or control or widget or icon or menu or container or box or window or button) and ((user interface) or GUI or xui or (xml ui) or (xml user interface) or (User Interface Markup Language) or UIML). ti.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	0 0 0	2011/03/25 19:08

S103	17	actor same render\$4 same attribute same (element or control or widget or icon or menu or container or box or window or button) and ((user interface) or GUI or xui or (xml ui) or (xml user interface) or (User Interface) Markup Language) or UIML)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR		2011/03/25 19:09
S104	1	(3g lab limited).as.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/03/25 19:19
S106	16	(3g labs).as.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/03/25 19:22
S107	2	"6055424".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/03/25 19:39
S110	.8	(xui or (xml ui) or (xml user interface) or (User Interface) marupage) or UIML) with (cell\$5phone or cell \$4phone or ((mobile or cell\$4 or portable or brow\$4) ((phone or telephone or device)) or pda or (personal digita assistant) or smart \$1phone) (smart phone)	US-PGPUB; USPAT; FPRS; EFO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/03/25 20:00
S111	302	(xui or (xml ui) or (xml user interface) or (User Interface) Markup Language) or UlML or (XML User Interface Language)) and (cell\$5phone or cell\$4phone or ((mobile or cell\$4 or portable or brows \$4\) (phone or telephone or device)) or pda or (personal digita assistant) or smart \$5\) phone or (smart phone))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/03/25 20:06
S112	494	xml with widget	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/03/25 20:11

S113	84	S112 and (@pd<"20040219" or @ad<"20040219" or @prad<"20040219" or @rlad<"20040219")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/03/25 20:13
S114	133	S111 and (@pd< "20040219" or @ad< "20040219" or @prad< "20040219" or @rlad< "20040219")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/03/25 20:13
S115	52	S112 and (@pd<"20040219" or @ad<"20040219" or @grad<"20040219" or @rown of collection	US-PGPUB; USPAT; PPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/03/25 20:13
S117	701	(xui or (xml ui) or (xml user interface) or (User Interface Markup Language) or UIML or XUI or XUL or (XML User Interface))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/03/25 20:17
S118	0	Glade Interface Designer	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/03/25 20:23
S119	222	xml near3 widget	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/03/25 20:23
S120	917	(xui or (xml ui) or (xml user interface) or (User Interface Markup Language) or UIML or XUI or XUL or (XML User Interface) or (xml near3 widget))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/03/25 20:24
S121	345	S120 and (@pd< "20040219" or @ad< "20040219" or @prad< "20040219" or @rlad< "20040219")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/03/25 20:25

S122	175	\$120 and (@pd<"20040219" or @ad<"20040219" or @ad<"20040219" or @yrad<"20040219" or @yrad<"20040219" or @yrad<"20040219") and (cell \$5phone or cell\$4phone or cell\$4phone or telephone or devices) or pda or (personal digita assistant) or smart\$1phone or (smart phone)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/03/25 20:26
S123	67	S122 and (element or control or widget or icon or menu or container or box or window or button) with attribute	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/03/25 20:27
S124	43	\$122 and (element or control or widget or icon or menu or container or box or window or button) with attribute and render\$4 and updat\$4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/03/25 20:28
S125	58	S122 and (element or control or widget or icon or menu or container or box or window or button) with (attribute or propert\$4) and render\$4 and updat\$4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/03/25 20:28
S126	56	S122 and (element or control or widget or icon or menu or container or box or window or button) with (attribute or propert\$4) and render\$4 and updat\$4 and format\$4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/03/25 20:29
S127	26	\$122 and (element or control or widget or icon or menu or container or box or window or button) with (attribute or propert\$4) and render\$4 and format\$4 and updat\$4 with interface	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/03/25 20:34
S128	3	S122 and (element or control or widget or icon or menu or container or box or window or button) with (attribute or propert\$4) with format\$4 and render\$4 with interface and updat\$4 with interface	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/03/25 20:36

S129	3	S122 and (element or control or widget or icon or menu or container or box or window or button) with (attribute or propert\$4) with format\$4 and (render\$4 or generat\$4) with interface and updat\$4 with interface	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	OZ	2011/03/25 20:40
S130	28	S122 and (element or control or widget or icon or menu or container or box or window or button) with (attribute or propert\$4) and (render\$4 or generat\$4) and format\$4 and updat\$4 with interface	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/03/25 20:41
S132	5	"7472350"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/03/25 20:48
S133	3	"20040216054"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/03/25 21:08
S134	157	"5905492"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/03/25 21:08
S135	2	"5905492".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/03/25 21:09
S136	2	"6091411".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/03/25 21:09
S137	26	US-20030182139-\$.DID. OR US-20030181242-\$.DID. OR US-20030237043-\$.DID. OR US-6677962-\$.DID. OR US-6677962-\$.DID. OR US-6731310-\$.DID. OR US-20040046799-\$.DID. OR US-20040100490-\$.DID. OR US-2004021605091-\$.DID. OR US-20040216054-\$.DID. OR US-20050114774-\$.DID. OR US-200501102626-\$.DID. OR US-200501102626-\$.DID. OR US-200501102626-\$.DID. OR US-200501102626-\$.DID. OR US-200501102626-\$.DID. OR US-2005013368-\$.DID. OR US-2005013368-\$.DID.	US-PGPUB; USPAT; USOOR; FPAS; EPO; JPO; DERWENT; IBM_TDB	NEAR		2011/03/25 21:10

S138	2316	(xui or (xml ui) or (xml user interface) or (User Interface) or USER Interface) Markup Language) or UIML or XUI or XUL or (XML User Interface) or (xml near3 widget) or (GUI Machine Language) or GML)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/03/26 11:28
S139	15	\$138 and (element or control or widget or icon or menu or container or box or window or button) with (attribute or propert\$4) with format\$4 and (render\$4 or generat\$4) with interface and updat\$4 with interface	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/03/26 11:30
S140		\$139 and (@pd-"20040219" or @ad-"20040219" or @grad-"20040219" or @grad-"20040219" or @grad-"20040219") and (oall \$5phone or cell\$4phone or ((mobile or cell\$4) or portable or brows\$4) (phone or telephone or device)) or pda or (personal digita assistant) or smart\$1phone or (smart phone)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/03/26 11:30
S141	101	\$138 and (element or control or widget or icon or menu or container or box or window or button) with (attribute or propert\$4) and render\$4 and format\$4 and updat\$4 with interface	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/03/26
S142	29	Si41 and (@pd<"20040219" or @ad<"20040219" or @grad<"20040219" or @grad<"20040219" or @grad<"20040219") and (eal \$5phone or cell\$4phone or ((mobile or cell\$4 or portable or brows\$4) (phone or telephone or device)) or pda or (personal digita assistant) or smart\$1phone) or (smart phone)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/03/26 11:31
S143	1	S142 and (element or control or widget or icon or menu or container or box or window or button) with move with interface	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM TDB	NEAR	ON	2011/03/26 11:33

144	96	(US-20080282142-\$ or US-	US-PGPUB;	NEAR	ON	2011/03/26
		20070266316-\$ or US-	USPAT; EPO;	1 - 21		11:35
	1	20080037452-\$ or US-	DERWENT			11.00
		20070288856-\$ or US-	DE			
		20070300217-\$ or US-				
	1	20070283280-\$ or US-				
		20030236917-\$ or US-				
		20020078143-\$ or US-			•	
		20030027592-\$ or US-				
		20030013483-\$ or US-				
		20020196266-\$ or US-				
		20020151327-\$ or US-				
		20020137502-\$ or US-			1	
		20020109718-\$ or US-				
		20020041292-\$ or US-			•	
		20080153468-\$ or US-				
		20050277432-\$ or US-			•	
		20050228871-\$ or US-			1	
	1	20050216850-\$ or US-				
		20050108657-\$ or US-			•	
	-	20050057560-\$ or US-				
		20040261031-\$ or US-		-		
		20040075693-\$ or US-		2		
		20040034853-\$ or US-		-		
		20030182626-\$ or US-		-		
	-	20030158969-\$).did. or (US-		9		
		20030120667-\$ or US-		9604		
		20030084121-\$ or US-		Organia		
		20080026776-\$ or US-		940		
		20070266141-\$ or US-		9		
		20050193380-\$ or US-		-	1	
		20040148586-\$ or US-		*		
		20060271845-\$ or US-			•	
	1	20040198434-\$ or US-		***************************************		***
		20050096968-\$ or US-		1		
	-	20050076305-\$ or US-		-		
		20020026471-\$ or US-		1	•	
	-	20050021935-\$ or US-		200		
		20040117439-\$ or US-		become.		
	1	20040061713-\$ or US-		100		
		20040046789-\$ or US-		1		
		20040216054-\$ or US-		***************************************		
		20050114774-\$ or US-		1		
		20040100490-\$ or US-		******		
		20040046787-\$).did. or (US-		1	1	
		7441047-\$ or US-6470381-\$				
		or US-7496645-\$ or US-				
		7480869-\$ or US-7113981-\$				
		or US-7010758-\$ or US-				
	-	6993362-\$ or US-6973457-\$			***	***
	-	or US-6954652-\$ or US-		***************************************		
	1	6850255-\$ or US-6763382-\$				
	1	or US-6392640-\$ or US-				
		6300947-\$ or US-7275243-\$				
	-	or US-7412658-\$ or US-				
		7636895-\$ or US-7278130-\$				
		or US-7137100-\$ or US-			-	
	1	οι σο-1 ιστ 1σο-φ σι σσ-	1	1	\$	1

		6681383-\$ or US-7908595-\$ or US-5481665-\$ or US-5401665-\$ or US-750198-\$ or US-6901411-\$ or US-7610406-\$ or US-7472350-\$). did. or (US-7219305-\$ or US-6791587-\$ or US-679159-\$ or US-679159-\$ or US-679159-\$ or EP-11369942-\$ or EP-293099-\$ or EP-11369942-\$ or GB-2393099-\$ or WO-3067465-\$ or WO-2097660-\$). did. or (GB-293089-\$ or WO-01505495-\$ or WO-0155689-\$ or WO-015067455-\$ or WO-02097695-\$ or WO-03067527-\$ or EP-1052598-\$ or EP-11589942-\$ or WO-015089-\$ or WO-0161508-\$ or WO-015041-\$ or WO-0307140-\$ or DE-19534799-\$ or EP-1156999-\$ or EP-156999-\$ or EP-156999-\$ or WO-0307140-\$ or DE-19534799-\$ or EP-156999-\$ or E				
S145	3	S144 and (element or control or widget or icon or menu or container or box or window or button) with move with (interface or updat\$4)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/03/26 11:36
S146	3	S144 and (element or control or widget or icon or menu or container or box or window or button or attribute) with move with (interface or updat \$4)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/03/26 11:37
S147	7	S144 and (element or control or widget or icon or menu or container or box or window or button or attribute) same move same (interface or updat\$4)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/03/26 11:37
S148	6	S144 and move with (interface or updat\$4)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/03/26 11:41
S149	1	S144 and move with updat\$4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/03/26 11:41
S150	51	S144 and (element or control or widget or icon or menu or container or box or window or button or attribute or interface) with updat\$4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/03/26 11:44

S151	10	S144 and (position or move or location) with updat\$4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/03/26 12:09
S152	12	S144 and (position or mov\$4 or location) with updat\$4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/03/26 12:13
S153	437	(updat\$4 with user interface). ti.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/07/14 13:53
S154	0	S153 and trig and triglet	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/07/14 14:07
S156	24	triglet	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/07/14 14:07
S158	4	S153 and applet	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/07/14 14:21
S160	1256	java near3 micro near3 edition	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/07/14 15:16
S161	0	S153 and S160	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/07/14 15:16
S162	82	S160 and (updat\$4 with user interface)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/07/14 15:17
S164	36	S162 and (@pd< "20040219" or @ad< "20040219" or @prad< "20040219" or @rlad< "20040219")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM TDB	NEAR	ON	2011/07/14 15:19

S165	0	S160 and (separate near3 look near3 feel with business near3 logic)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/07/14 15:21
S166	0	S153 and (separate near3 look near3 feel with business near3 logic)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/07/14 15:21
S167	0	S153 and (look near3 feel with business near3 logic)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/07/14 15:21
S170	3705	(3-Tier web application) or MVC or (model view controller) or (model-view- controller)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/07/14 15:24
S171	1	S153 and S170	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/07/14 15:24
S172	11	"10007037"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/07/14 15:26
S173	254	S170 and (updat\$4 with user interface)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/07/14 15:29
S174	107	S173 and (applet or (java near3 micro near3 edition))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/07/14 15:29
S175	46	S174 and (@pd< "20040219" or @ad< "20040219" or @prad< "20040219" or @rlad< "20040219")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/07/14 15:30

## EAST Search History (Interference)

<This search history is empty>

## 7/15/2011 5:49:20 PM

C:\ Documents and Settings\ bsmith3\ My Documents\ EAST\ Workspaces\ 10-598163.wsp